


STANDARD PROFILES
ΣΤΑΝΤΑΡ ΠΡΟΦΙΛ



BOX PROFILES
ΠΑΡΑΛΛΗΛΟΓΡΑΜΜΟΙ ΣΩΛΗΝΕΣ




CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	kg/m
12-147-018	10	10	1.8	0.25	0.25	0.160
12-141-020R	12	12	2	1.5	-	0.211
12-153-020R	13.8	13.8	2	1	-	0.253
12-165-012	14	14	1.2	-	-	0.166
12-165-020R	14	14	2	1	-	0.257
12-166-010R	15	10	1	2	1	0.117
12-166-014	15	10	1.4	0.25	-	0.168
12-101-020	15	15	2	-	-	0.281
12-187-008	16.5	16.5	0.8	-	-	0.136
12-155-011	18	12	1.1	0.25	0.25	0.165
12-155-011R	18	12	1.1	3.5	2.4	0.150
12-155-013R	18	12	1.3	3.5	2.2	0.175
12-159-010	18	18	1	-	-	0.184
12-159-020	18	18	2	-	-	0.346
12-134-015	20	10	1.5	0.3	0.3	0.219
12-134-020R	20	10	2	2	-	0.272
12-156-015R	20	12	1.5	1.5	0.5	0.230
12-104-013	20	20	1.3	-	-	0.263
12-104-020	20	20	2	-	-	0.389
12-148-020	20	30	2	-	-	0.497
12-103-010	25	17	1	-	-	0.216
12-103-012	25	17	1.2	-	-	0.257
12-103-020	25	17	2	-	-	0.410
12-110-013	25	25	1.3	-	-	0.333
12-110-015R	25	25	1.5	2	2	0.381
15294	25	25	2	4	2	0.469
12-130-020R	27	27	2	3	0.25	0.519
12-178-013R	28	13.4	1.3	2	0.7	0.264
12-142-011R	28.8	18.6	1.1	3.5	2.5	0.255
12-146-011R	29	18.6	1.1	1.5	0.4	0.265
12-180-015R	30	10	1.5	0.5	0.3	0.300
12-175-013	30	12	1.3	-	-	0.277
12-102-010	30	15	1	0.25	0.25	0.232
12-102-010R	30	15	1	3.5	2.5	0.218
12-102-012R	30	15	1.2	3.5	2.3	0.260
12-102-013	30	15	1.3	-	-	0.298
12-102-013R	30	15	1.3	3.5	2.2	0.281

CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	kg/m
12-148-015	30	20	1.5	0.45	0.45	0.381
12-148-020R	30	20	2	3	1	0.478
12-111-013	30	30	1.3	-	-	0.403
12-111-015R	30	30	1.5	3	2	0.450
12-111-020	30	30	2	-	-	0.605
12-111-030R	30	30	3	3	1.5	0.859
12-170-015	35	35	1.5	-	-	0.543
12-154-008	39.8	20.6	0.8	-	-	0.254
12-173-018R	40	15	1.8	3.5	1.7	0.478
12-177-022R	40	15	2.2	0.8	-	0.600
12-105-010	40	20	1	-	-	0.313
12-105-012	40	20	1.2	-	-	0.373
12-105-012R	40	20	1.2	2	0.8	0.365
12-105-015	40	20	1.5	-	-	0.462
12-105-020	40	20	2	0.25	0.25	0.605
12-179-020	40	27	2	-	-	0.680
12-112-012	40	30	1.2	-	-	0.438
12-112-018	40	30	1.8	-	-	0.646
12-112-020	40	30	2	-	-	0.713
12-112-040	40	30	4	-	-	1.339
12-117-008	40	40	0.8	-	-	0.339
12-117-010	40	40	1	-	-	0.421
12-117-012	40	40	1.2	-	-	0.503
12-117-015	40	40	1.5	-	-	0.624
12-117-020	40	40	2	-	-	0.821
12-117-025R	40	40	2.5	2.5	1.5	1.003
12-117-050	40	40	5	-	-	1.890
12-151-013	42	11.2	1.3	-	-	0.355
12-158-030R	45	20	3	1	1	0.956
12-174-020R	45	25	2	2	-	0.704
12-122-018	45	45	1.8	-	-	0.840
12-116-020	49	39.1	2	-	-	0.908
12-133-013	50	12	1.3	0.25	0.25	0.417
12-169-012	50	20	1.2	-	-	0.438
12-149-015	50	30	1.5	0.45	0.45	0.624
12-149-020R	50	30	2	2	0.5	0.812
12-118-010	50	40	1	-	-	0.475

BOX PROFILES


ΠΑΡΑΛΛΗΛΟΓΡΑΜΜΟΙ ΣΩΛΗΝΕΣ



CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	kg/m
12-118-012	50	40	1.2	-	-	0.568
12-123-016	50	50	1.6	-	-	0.836
12-123-020R	50	50	2	2	0.5	1.028
12-123-025	50	50	2.5	-	-	1.283
12-123-030	50	50	3	-	-	1.523
12-123-030R	50	50	3	2	0.25	1.514
12-140-012	54	54	1.2	0.25	0.25	0.684
12-196-030R	55	41.2	3	4	1	1.413
12-192-050	55	55	5	-	-	2.700
12-139-020	55.15	55.15	2	0.25	0.25	1.148
12-193-018R	59	59	1.8	5	3.2	1.078
12-106-012	60	20	1.2	-	-	0.503
12-129-015R	60	22	1.5	1	0.3	0.638
12-167-020R	60	25	2	2.5	0.5	0.861
12-167-030	60	25	3	-	-	1.280
12-168-020R	60	30	2	8	6	0.749
12-119-012	60	40	1.25	-	-	0.658
12-119-025	60	40	2.5	-	-	1.283
12-119-030	60	40	3	-	-	1.523
12-119-040	60	40	4	-	-	1.987
12-121-030	60	44.6	3	-	-	1.597
12-126-013	60	60	1.3	-	-	0.824
12-160-030R	65	45	3	4	0.5	1.648
12-194-020R	70	23	2	8	6	0.896
12-114-013	70	32	1.3	-	-	0.698
12-127-015	70	70	1.5	-	-	1.110
12-172-018	70.4	42.8	1.8	-	-	1.065
12-115-015	75	32	1.5	-	-	0.842
12-115-025	75	32	2.5	-	-	1.377
12-150-014	80	15	1.4	-	-	0.697
12-107-014	80	20	1.4	-	-	0.735
12-107-020	80	20	2	-	-	1.037
12-182-020	80	25	2	-	-	1.091
15055	80	26	1.5	11.5	11.5	0.749
12-137-015	80	80	1.5	0.25	0.25	1.272
12-137-030	80	80	3	5	2	2.446
12-161-020	85	30	2	0.3	-	1.199

CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	kg/m
12-144-016	89.6	49.3	1.6	0.3	0.3	1.173
12-128-050R	90	90	5	7	2	4.486
12-107-013R	80	20	1.3	2	0.7	0.676
12-120-015	80	40	1.5	-	-	0.948
12-120-020	80	40	2	-	-	1.253
12-120-032	80	40	3.2	-	-	1.963
12-145-050	80	50	5	-	-	3.240
12-128-020	90	90	2	-	-	1.901
12-124-016	95	50	1.6	-	-	1.225
12-124-020	95	50	2	-	-	1.523
12-124-040	95	50	4	-	-	2.959
12-108-014	100	20	1.4	-	-	0.886
12-108-015	100	20	1.5	2	-	0.938
12-108-020	100	20	2	-	-	1.253
12-113-015R	100	30	1.5	1.5	1.5	1.029
12-135-015	100	40	1.5	0.25	0.25	1.110
12-181-012	100	50	1.2	-	-	0.956
12-181-013	100	50	1.3	-	-	1.035
12-176-040	100	70	4	-	-	3.500
12-138-020	100	100	2	0.25	-	2.117
12-152-040R	109.5	59.5	4	7	3	3.385
12-131-020R	110	110	2	1	-	2.330
12-195-020R	114	34	2	3	1	1.537
12-188-020	120	18	2	-	-	1.447
12-109-015	120	20	1.5	-	-	1.110
12-136-018	120	40	1.8	0.25	-	1.520
12-125-050	120	50	5	-	-	4.320
12-157-030	120	80	3	-	-	3.143
12-143-022	128	49.2	2.2	0.3	0.3	2.053
12-190-050	130	130	5	-	-	6.750
12-156-040	140	40	4	-	-	3.715
12-191-020	150	20	2	-	6	1.793
12-132-030	150	50	3	-	-	3.143
12-132-040	150	50	4	-	-	4.147
12-184-040	170	50	4	-	-	4.579
12-183-040	220	50	4	-	-	5.659


SQUARE BARS
ΤΕΤΡΑΓΩΝΟΙ ΣΩΛΗΝΕΣ



CODE / ΚΩΔ.	a (mm)	b (mm)	kg/m
13-154-070	7	7	0.132
13-153-077	7.75	7.75	0.162
13-153-080	8	8	0.173
13-101-100	10	10	0.270

CODE / ΚΩΔ.	a (mm)	b (mm)	kg/m
13-107-237	23.7	23.7	1.517
13-110-300	30	30	2.430
13-111-400	40	40	4.320


ROUND BARS
ΜΑΣΙΦ ΣΤΡΟΓΓΥΛΕΣ ΜΠΑΡΕΣ



CODE / ΚΩΔ.	D (mm)	kg/m
11-112-00	10	0.212
11-113-00	12	0.305
11-101-00	16	0.543
11-102-00	20	0.848
11-103-00	22	1.026
11-114-00	25	1.325
11-115-00	26	1.434
11-104-00	30	1.909

CODE / ΚΩΔ.	D (mm)	kg/m
11-105-00	35	2.598
11-106-00	40	3.393
11-107-00	45	4.294
11-108-00	50	5.301
11-110-00	56	6.650
11-109-00	60	7.634
11-116-00	65.5	9.098
11-111-00	70	10.391


PIPE PROFILES
ΣΤΡΟΓΓΥΛΟΙ ΣΩΛΗΝΕΣ



CODE / ΚΩΔ.	D (mm)	D1 (mm)	s (mm)	kg/m
10-151-010	8	6	1	0.059
10-161-010	10	8	1	0.076
10-161-012	10	7.6	1.2	0.090
10-159-009	12	10.2	0.9	0.087
10-158-010	12	10	1	0.093
10-149-010	14	12	1	0.110
10-101-015	15	12	1.5	0.172
10-101-027	15	9.5	2.75	0.286
10-102-022	15.7	11.2	2.25	0.257

CODE / ΚΩΔ.	D (mm)	D1 (mm)	s (mm)	kg/m
10-103-010	16	14	1	0.127
10-103-015	16	13	1.5	0.185
10-103-019	16	12.2	1.9	0.227
10-103-020	16	12	2	0.238
10-103-040	16	8	4	0.407
10-103-050	16	6	5	0.467
10-104-020	18	14	2	0.272
10-105-011	18.7	16.5	1.1	0.164
10-106-010	19	17	1	0.153

PIPE PROFILES
ΣΤΡΟΓΓΥΛΟΙ ΣΩΛΗΝΕΣ




CODE / ΚΩΔ.	D (mm)	D1 (mm)	s (mm)	kg/m
10-106-012	19	16.6	1.2	0.181
10-106-015	19	16	1.5	0.223
10-107-015	19.2	16.25	1.47	0.223
10-108-010	20	18	1	0.161
10-108-018	20	16.4	1.8	0.278
10-108-030	20	14	3	0.433
10-108-040	20	12	4	0.543
10-109-012	20.4	18	1.2	0.196
10-137-030	20.5	14.5	3	0.445
10-154-052	20.8	10.3	5.25	0.692
10-110-045	21	12	4.5	0.630
10-111-011	21.7	19.5	1.1	0.192
10-112-008	22	20.4	0.8	0.144
10-112-012	22	19.6	1.2	0.212
10-112-015	22	19	1.5	0.261
10-112-025	22	17	2.5	0.414
10-112-050	22	12	5	0.721
10-141-012	22.23	19.79	1.22	0.217
10-137-015	22.5	19.5	1.5	0.267
10-152-008	23.2	21.6	0.8	0.152
10-113-037	24	16.5	3.75	0.644
10-113-050	24	14	5	0.806
10-113-094	24	5.1	9.45	1.166
10-114-011	24.7	22.5	1.1	0.220
10-115-010	25	23	1	0.204
10-115-015	25	22	1.5	0.299
10-115-020	25	21	2	0.390
10-115-025	25	20	2.5	0.477
10-115-032	25	18.5	3.25	0.600
10-115-047	25	15.5	4.75	0.816
10-115-082	25	8.5	8.25	1.172
10-116-020	26	22	2	0.407
10-143-015	27	24	1.5	0.324
10-117-028	28	22.4	2.8	0.599
10-117-047	28	18.6	4.7	0.929
10-118-020	29.5	25.5	2	0.467
10-119-022	30	25.6	2.2	0.519
10-119-025	30	25	2.5	0.583

CODE / ΚΩΔ.	D (mm)	D1 (mm)	s (mm)	kg/m
10-119-030	30	24	3	0.687
10-119-037	30	22.5	3.75	0.835
10-119-040	30	22	4	0.882
10-119-100	30	10	10	1.697
10-120-062	31	18.6	6.2	1.304
10-121-010	32	30	1	0.263
10-121-020	32	28	2	0.509
10-121-030	32	26	3	0.738
10-121-070	32	18	7	1.484
10-122-020	35	31	2	0.560
10-122-025	35	30	2.5	0.689
10-122-030	35	29	3	0.814
10-122-032	35	28.5	3.25	0.875
10-122-135	35	8	13.5	2.462
10-123-145	35.5	6.5	14.5	2.583
10-138-030	38	32	3	0.891
10-124-010	40	38	1	0.331
10-124-015	40	37	1.5	0.490
10-124-020	40	36	2	0.645
10-124-025	40	35	2.5	0.795
10-124-050	40	30	5	1.484
10-124-096	40	20.7	9.65	2.484
10-124-100	40	20	10	2.545
10-125-151	40.2	10	15.1	3.215
10-126-163	40.5	7.8	16.35	3.349
10-127-015	43	40	1.5	0.528
10-156-019	45	41.2	1.9	0.695
10-145-025	45	40	2.5	0.901
10-145-175	45	10	17.5	4.082
10-162-040	48	40	4	1.493
10-128-010	50	48	1	0.416
10-128-014	50	47.1	1.45	0.597
10-128-015	50	47	1.5	0.617
10-128-016	50	46.7	1.65	0.677
10-128-018	50	46.4	1.8	0.736
10-128-020	50	46	2	0.814
10-128-025	50	45	2.5	1.007
10-128-030	50	44	3	1.196

PIPE PROFILES
 ΣΤΡΟΓΓΥΛΟΙ ΣΩΛΗΝΕΣ


CODE / ΚΩΔ.	D (mm)	D1 (mm)	s (mm)	kg/m
10-128-040	50	42	4	1.561
10-128-105	50	29	10.5	3.518
10-129-205	50.15	9	20.58	5.162
10-163-015	51	48	1.5	0.630
10-130-018	54	50.4	1.8	0.797
10-131-023	55	50.4	2.3	1.028
10-131-072	55	40.5	7.25	2.936
10-164-020	58	54	2	0.950
10-132-050	60	50	5	2.333
10-133-070	65	51	7	3.444
10-132-015	60	57	1.5	0.744
10-132-020	60	56	2	0.984
10-132-025	60	55	2.5	1.219


CODE / ΚΩΔ.	D (mm)	D1 (mm)	s (mm)	kg/m
10-132-030	60	54	3	1.450
10-134-015	70	67	1.5	0.872
10-147-149	70.3	40.4	14.95	7.019
10-135-050	75	65	5	2.969
10-157-012	76	73.6	1.2	0.761
10-150-022	80	75.6	2.2	1.452
10-146-149	80.3	50.4	14.95	8.287
10-136-040	82	74	4	2.646
10-160-020	88.9	84.9	2	1.474
10-148-085	92	75	8.5	6.020
10-153-030	100	94	3	2.468
10-153-020	100	96	2	1.663
10-139-018	101.8	98.2	1.8	1.527

CORNER PROFILES
 ΓΩΝΙΕΣ


CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	r3 (mm)	kg/m
14-102-012	10	10	1.2	-	-	-	0.061
14-103-012	15	10	1.2	-	-	-	0.077
14-103-020R	15	10	2	1	-	-	0.122
14-105-020	15	13	2	-	-	-	0.140
14-106-012	15	15	1.2	-	-	-	0.093
14-106-015	15	15	1.5	-	-	-	0.115
14-139-020	20	9	2	0.3	0.3	0.3	0.146
14-126-015	20	10	1.5	0.25	0.25	0.25	0.115
14-141-020R	20	10	2	1	1	-	0.148
14-142-020R	20	15	2	1	-	-	0.176
14-134-030	20	15	3	0.3	0.3	0.3	0.259
14-107-010R	20	20	1.05	0.53	2	0.95	0.108
14-107-012	20	20	1.2	-	-	-	0.126
14-107-015	20	20	1.5	0.25	0.25	0.25	0.156
14-107-020	20	20	2	0.25	0.25	0.25	0.205

CORNER PROFILES


ΓΩΝΙΕΣ



CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	r3 (mm)	kg/m
14-107-040	20	20	4	-	-	-	0.389
14-109-030	20	40	3	0.3	0.3	0.3	0.461
14-129-023	22	14	2.3	-	-	-	0.209
14-104-030	25	12	3	-	-	-	0.275
14-116-012	25	25	1.2	-	-	-	0.158
14-116-015	25	25	1.5	-	-	-	0.196
14-116-020	25	25	2	-	-	-	0.259
14-116-020R	25	25	2	1	-	-	0.257
14-116-025	25	25	2.5	-	-	-	0.321
14-116-030	25	25	3	-	-	-	0.381
14-116-040	25	25	4	0.4	0.4	0.25	0.496
14-128-070	27	27	7	0.3	0.3	0.3	0.888
14-108-013	30	20	1.3	-	-	-	0.171
14-108-027	30	20	2.75	-	-	-	0.351
14-156-030	30	25	3	-	-	-	0.421
14-118-009	30	30	0.9	-	-	-	0.144
14-118-012	30	30	1.2	-	-	-	0.191
14-118-015	30	30	1.5	-	-	-	0.237
14-118-020	30	30	2	-	-	-	0.313
14-118-030	30	30	3	-	-	-	0.462
14-118-050	30	30	5	-	-	-	0.743
14-101-028	35	7	2.8	-	-	-	0.296
14-150-020	35	16	2	-	-	-	0.265
14-149-020	39	16	2	-	-	-	0.286
14-148-020	40	11	2	-	-	-	0.265
14-109-012	40	20	1.2	-	-	-	0.191
14-109-020	40	20	2	-	-	-	0.313
14-155-040	40	25	4	-	-	-	0.659
14-138-020	40	30	2	-	-	-	0.367
14-119-012	40	40	1.2	-	-	-	0.255
14-119-015	40	40	1.5	-	-	-	0.318
14-119-020	40	40	2	-	-	-	0.421
14-119-030	40	40	3	-	-	-	0.624
14-119-040	40	40	4	-	-	-	0.821
14-119-048	40	40	4.8	-	-	-	0.974
14-120-060	40	40	6	0.25	0.25	0.25	1.199
14-147-030R	45	18	3	1	1	1	0.484
14-123-050	45	45	5	-	-	-	1.148

CORNER PROFILES


ΓΩΝΙΕΣ



CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	r3 (mm)	kg/m
14-143-020	50	10	2	-	-	-	0.313
14-110-012	50	20	1.2	-	-	-	0.223
14-110-014	50	20	1.4	-	-	-	0.259
14-137-012	50	30	1.2	-	-	-	0.255
14-137-020	50	30	2	-	-	-	0.421
14-124-015	50	50	1.5	-	-	-	0.400
14-124-020	50	50	2	-	-	-	0.529
14-124-030	50	50	3	-	-	-	0.786
14-124-040	50	50	4	-	-	-	1.037
14-124-075	50	50	7.5	-	-	-	1.873
14-111-013	60	20	1.3	-	-	-	0.276
14-133-030R	60	30	3	0.5	7	4	0.685
14-121-013	60	40	1.3	-	-	-	0.346
14-121-020	60	40	2	-	-	-	0.529
14-112-013	70	20	1.3	-	-	-	0.311
14-144-020	70	30	2	-	-	-	0.529
14-159-060	70	40	6	-	-	-	1.685
14-151-015	70	50	1.5	-	-	-	0.479
14-127-018	70	60	1.8	-	-	-	0.623
14-132-035R	75	75	3.5	0.3	8.5	5	1.357
14-152-050	80	17	5	-	-	-	1.242
14-113-013	80	20	1.3	-	-	-	0.346
14-113-020	80	20	2	-	-	-	0.529
14-135-040	80	24	4	-	-	-	1.080
14-135-040R	80	24	4	1.5	1.5	1.5	1.075
14-117-015	80	25	1.5	-	-	-	0.419
14-136-035	80	27.5	3.5	-	-	-	0.983
14-136-035R	80	27.5	3.5	1.5	1.5	1.5	0.978
14-140-030	80	30	3	-	-	-	0.867
14-122-015	80	40	1.5	-	-	-	0.480
14-122-030	80	40	3	-	-	-	0.948
14-122-080	80	40	8	2.5	2.5	5	2.416
14-153-050	85	24	5	-	-	-	1.404
14-114-015	100	20	1.5	-	-	-	0.480
14-145-020	100	40	2	-	-	-	0.745
14-125-030	100	70	3	-	-	-	1.353
14-158-080	100	100	8	-	-	-	4.147
14-115-015	120	20	1.5	-	-	-	0.561

CORNER PROFILES


ΓΩΝΙΕΣ



CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	r3 (mm)	kg/m
14-115-020	120	20	2	-	-	-	0.745
14-115-025	120	20	2.5	-	-	-	0.928
14-154-040	130	55	4	-	-	-	1.955
14-160-030R	150	70	3	1.4	5	2	1.741
14-131-040	200	40	4	-	-	-	2.549
14-157-080	200	100	8	-	-	-	6.307

"U" PROFILES


"Π" ΠΡΟΦΙΛ



CODE / ΚΩΔ.	a (mm)	b (mm)	s1 (mm)	s2 (mm)	r1 (mm)	r2 (mm)	r3 (mm)	r4 (mm)	kg/m
15-155-010	6.5	12	1	1	-	-	-	-	0.077
15-142-010	8	8	1	1	0.25	0.25	0.25	-	0.059
15-123-020R	8	20	2	1.5	0.5	0.5	1.5	0.5	0.229
15-125-010	10	10	1	1	0.3	0.3	0.3	0.3	0.075
15-117-013	12	16	1.3	1.3	0.65	0.65	0.3	0.3	0.144
15-163-020	12.5	20	2	2	-	-	-	-	0.262
15-135-011	13	15	1.1	1.1	-	-	-	-	0.121
15-121-012	14.3	28	1.2	1.2	0.6	0.6	0.3	0.3	0.219
15-164-019R	14.7	19	1.9	1.9	0.95	0.95	-	-	0.248
15-128-010	15	10	1	1	-	-	-	-	0.089
15-103-012	15	17	1.2	1.2	-	-	-	-	0.151
15-105-020	15	20	2	2	-	-	-	-	0.275
15-129-012	16	20	1.25	1.25	-	-	-	-	0.181
15-146-016R	16.5	27	1.6	1.6	0.8	-	0.3	-	0.289
12225	16.5	35	2.25	5	0.5	0.5	0.5	0.5	0.587
15-102-009	17	15	0.9	0.9	0.3	0.3	0.3	0.3	0.110
15-104-010	17	17	1	1	0.5	0.5	0.5	0.3	0.132
15-141-015	17	20	1.5	1.5	-	-	-	-	0.219
15-106-012	18	20	1.2	1.2	-	-	-	-	0.180
15-106-014	18	20	1.4	1.4	-	-	-	-	0.209

"U" PROFILES


"Π" ΠΡΟΦΙΛΑ



CODE / ΚΩΔ.	a (mm)	b (mm)	s1 (mm)	s2 (mm)	r1 (mm)	r2 (mm)	r3 (mm)	r4 (mm)	kg/m
15-168-020	18.5	25	2	2	0.8	0.3	5	3	0.329
15-107-011R	19	20	1.15	1.15	-	0.5	-	-	0.176
15-145-015R	19	20	1.5	1.5	0.5	0.5	0.5	-	0.226
15-107-015	19	20	1.5	1.5	-	-	-	-	0.227
15-144-018R	19.9	20	1.8	1.8	0.5	0.5	0.5	0.2	0.273
15-127-020	20	20	2	2	0.3	0.3	0.3	0.3	0.302
15-112-020	20	25	2	2	-	-	-	-	0.356
15-112-040	20	25	4	4	0.4	0.4	0.25	0.25	0.669
15-137-020	20	30	2	2	-	-	-	-	0.410
15-136-020	20	40	2	2	-	-	-	-	0.518
15-149-012R	21.4	11.8	1.2	1.2	0.6	0.6	0.25	0.25	0.137
15-169-020	22.5	25	2	2	0.8	0.3	5	3	0.351
15-154-025	23	16	2.5	2.5	0.3	0.3	0.3	0.3	0.337
15-133-015	24	20	1.5	1.5	-	-	-	-	0.247
15-116-040R	25	10	4	4	1.2	-	1.2	-	0.396
15-132-020	25	15	2	2	-	-	-	-	0.275
15-132-030	25	15	3	3	-	-	-	-	0.397
15-134-020	25	25	2	2	-	-	-	-	0.383
15-167-030	25	25.5	3	3	-	-	-	-	0.567
15-166-030	25	38	3	3	-	-	-	-	0.770
15-150-020	25	40	2	2	-	-	-	-	0.545
15-165-032	25	51	3.2	3.2	-	-	-	-	1.042
15-170-020	26.5	25	2	2	0.8	0.3	5	3	0.372
15-156-020	27	40	2	2	-	-	-	-	0.556
15-122-015	29	28	1.5	1.5	-	-	-	-	0.332
15-152-010	30	15	1	1	-	-	-	-	0.157
15-143-015	30	20	1.5	1.5	-	-	-	-	0.271
15-109-015	30	30	1.5	1.5	-	-	-	-	0.356
15-124-020	30	30	2	2	-	-	-	-	0.464
15-110-015	30	40	1.5	1.5	-	-	-	-	0.433
15-158-025	30.5	40	2.5	2.5	0.5	0.5	0.5	0.3	0.711
15-111-030	34	40	3	3	2	-	2	-	0.866
15-153-020	35	35	2	2	0.25	0.25	0.25	-	0.545
15-114-030	40	30	3	3	0.25	0.25	0.25	0.25	0.761
15-160-020	44	43	2	3	-	-	-	-	0.788
15-161-020	44	54	2	3	-	-	-	-	0.907
15-151-020	44.5	22	2	2	0.3	0.3	0.3	-	0.456
15-113-020	45	45	2	2	0.25	0.25	0.25	0.25	0.707

"U" PROFILES


"Π" ΠΡΟΦΙΛ



CODE / ΚΩΔ.	a (mm)	b (mm)	s1 (mm)	s2 (mm)	r1 (mm)	r2 (mm)	r3 (mm)	r4 (mm)	kg/m
15-115-050R	45	47	5	5	0.5	0.5	3	-	1.731
15-118-012	50	15	1.2	1.2	0.6	0.6	0.3	-	0.251
15-148-015	50	30	1.5	1.5	-	-	-	-	0.433
15-131-030	50	80	3	3	-	-	-	-	1.652
15-162-030R	50.7	44.5	3	3	0.5	0.5	1	1	1.082
15-120-010	51	40	1	1	-	-	-	-	0.348
15-157-020	55	40	2	2	-	-	-	-	0.707
15-126-020	55	45	2	2	-	-	-	-	0.761
15-101-012	60	10	1.2	1.2	0.5	0.5	0.5	0.5	0.251
15-101-016	60	10	1.6	1.6	0.5	0.5	0.5	0.5	0.331
15-139-030	60	30	3	3	-	-	-	-	0.923
15-130-030	60	50	3	3	-	-	-	-	1.247
15-159-030	60	60	3	3	-	-	-	-	1.409
15-140-030	80	30	3	3	-	-	-	-	1.085
15-138-060	100	70	6	6	-	-	-	-	3.694
19-704-00	110	75	7	7	-	-	-	15	4.910
15-115-020	120	30	2	2	-	-	-	-	0.950
979	120	50	6	6	-	-	-	6	3.411
15-116-020	170	30	2	2	-	-	-	-	1.220

"T" PROFILES


"Τ" ΠΡΟΦΙΛ



CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	kg/m
16-115-020	10	6	2	-	-	0.076
16-101-012	20	20	1.2	-	-	0.126
16-111-020	20	37	2	-	-	0.297
16-102-012	25	25	1.2	-	-	0.158
16-102-015	25	25	1.5	-	-	0.196
16-102-020	25	25	2	-	-	0.259
16-102-040	25	25	4	-	-	0.497
16-103-012	30	30	1.2	-	-	0.191
16-103-015	30	30	1.5	-	-	0.237

CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	r1 (mm)	r2 (mm)	kg/m
16-108-016	40	40	1.6	-	-	0.339
16-108-020	40	40	2	-	-	0.421
16-113-030	40	60	3	-	-	0.786
16-105-020	70	50	2	-	-	0.637
16-114-060	70	70	6	-	-	2.171
16-107-020	80	60	2	-	-	0.745
16-110-060	80	80	6	1.5	6	2.530
16-110-085R	80	80	8.5	2.5	5	3.484


SPECIAL "T" PROFILES
ΕΙΔΙΚΟ "Τ" ΠΡΟΦΙΛΑ



CODE / ΚΩΔ.	a (mm)	b (mm)	s1 (mm)	s2 (mm)	kg/m
13762	70	50.5	1.8	1.8	0.537
12051	70	50.5	2	2.5	0.692

CODE / ΚΩΔ.	a (mm)	b (mm)	s1 (mm)	s2 (mm)	kg/m
16-112-030	110	80	3	3	1.509


ASYMMETRIC "T" PROFILES
ΑΣΥΜΜΕΤΡΑ "Τ" ΠΡΟΦΙΛΑ



CODE / ΚΩΔ.	a (mm)	b (mm)	c (mm)	s (mm)	kg/m
17-103-015	32	19.5	12	1.5	0.203
17-101-012	40	20	9.9	1.2	0.191

CODE / ΚΩΔ.	a (mm)	b (mm)	c (mm)	s (mm)	kg/m
17-102-012	50	25	9.9	1.2	0.239

FLAT PROFILES
ΛΑΜΕΣ




CODE / ΚΩΔ.	a (mm)	s (mm)	r (mm)	kg/m
13-163-023R	7.9	2.3	0.4	0.049
13-101-039R	10	3.9	1.95	0.096
13-167-020R	12	2	0.5	0.064
13-164-050R	12.8	5	2.5	0.158
13-102-030R	13	3	1	0.103
13-103-030	14	3	-	0.113
13-149-100	17	10	-	0.459
13-142-028R	17.7	2.8	1.4	0.129
13-101-185	18.5	10	-	0.500
13-135-044	19.5	4.4	-	0.232
13-104-015	20	1.5	-	0.081
13-104-030	20	3	-	0.162
13-104-040R	20	4	2	0.207
13-106-025	23	2.5	-	0.155
13-108-020	25	2	-	0.135

CODE / ΚΩΔ.	a (mm)	s (mm)	r (mm)	kg/m
13-108-030	25	3	-	0.203
13-108-040	25	4	-	0.270
13-108-080	25	8	0.25	0.540
13-108-100	25	10	-	0.675
13-109-050	28	5	0.15	0.378
13-110-030	30	3	-	0.243
13-110-040	30	4	-	0.324
13-110-050	30	5	-	0.405
13-110-080	30	8	-	0.648
13-166-020	32	2	0.3	0.173
13-166-220	32	22	-	1.901
13-144-020	35	2	-	0.189
13-147-180R	35	18	0.3	1.701
13-105-350	35	22	-	2.079
13-140-035	38.5	3.5	0.3	0.364

FLAT PROFILES

ΛΑΜΕΣ




CODE / ΚΩΔ.	a (mm)	s (mm)	r (mm)	kg/m
13-111-012	40	1.2	-	0.130
13-111-020	40	2	-	0.216
13-111-030	40	3	-	0.324
13-111-040R	40	4	0.5	0.431
13-146-100R	44	10	5	1.130
13-141-020	46	2	-	0.248
13-112-010	50	1	-	0.135
13-112-030	50	3	-	0.405
13-113-050	50	5	-	0.675
13-112-100	50	10	-	1.350
13-114-050	59	5	-	0.797
13-115-012	60	1.2	-	0.194
13-115-020	60	2	-	0.324
13-115-030	60	3	-	0.486
13-115-040R	60	4	0.5	0.647
13-115-060	60	6	-	0.972
13-115-100	60	10	-	1.620
13-116-300	65	30	0.3	5.265
13-119-020R	80	2	0.5	0.431
13-119-069R	80	6.9	3.45	1.463

CODE / ΚΩΔ.	a (mm)	s (mm)	r (mm)	kg/m
13-119-040	80	4	-	0.864
13-119-080	80	8	-	1.728
13-119-100	80	10	-	2.160
13-119-200	80	20	-	4.320
13-120-050	87	5	-	1.175
13-145-015	90	1.5	-	0.365
13-122-080	100	8	-	2.160
13-122-100	100	10	-	2.700
13-122-180	100	18	-	4.860
13-124-060	110	6	-	1.782
15496	120	30	-	9.720
13-126-030R	130	3	1	1.051
13-126-049	130	4.9	-	1.720
13-157-020	144	2	-	0.778
13-156-020	157.75	2	-	0.852
13-128-070R	160	7	3.5	2.996
13-129-040	170	4	-	1.836
13-130-035	186	3.5	-	1.758
13-132-200	200	20	-	10.800

PROFILES WITH FULL RADIUS

ΠΡΟΦΙΛ ΜΕ "RADIUS"




CODE / ΚΩΔ.	a (mm)	s (mm)	b (mm)	r (mm)	kg/m
1823	26	1.2	15.5	7.75	0.214
1058	29.9	1.2	11.6	5.8	0.224

CODE / ΚΩΔ.	a (mm)	s (mm)	b (mm)	r (mm)	kg/m
2705	50	1.2	10.4	5.2	0.350
15055	80	1.5	26	13	0.749


"Z" PROFILES

ΠΡΟΦΙΛ "ΖΗΤΑ"


CODE / ΚΩΔ.	a (mm)	b (mm)	s (mm)	kg/m
12824	40	40	2.7	0.835
12675	40	40	3	0.923





 ΕΔΡΑ ΘΕΣΣΑΛΟΝΙΚΗ
T. 2310 681 180 - F. 2310 683 686
E. info@patsalas.gr

ΕΚΘΕΣΗ ΘΕΣΣΑΛΟΝΙΚΗ - ΚΑΛΑΜΑΡΙΑ
M. Κυδωνίων & Χρυσουπόλεως
T. 2311 290 080
E. mail@patsalas.gr

 HEADQUARTERS THESSALONIKI
T. +30 2310 681 150 - F. +30 2310 683 686
E. info@patsalas.gr

SHOWROOM THESSALONIKI - ΚΑΛΑΜΑΡΙΑ
M. Kidonion & Chrisoupoleos
T. +30 2311 290 080
E. mail@patsalas.gr

www.patsalas.gr